

### SURFACE PUMP DATA INFORMATION

PUMP TYPE	FIRE	X	CONTRACTOR	INDUSTRIAL
Stock No		XSP9926		Retail Price £8,250-00
Manufacturer		SPP		Date In Stock DEC 2025
Model		KP15Y		Year of Manufacture 2003
Serial No		0312032/1A		<b>CHASSIS</b>
<b>PUMP DATA</b>			Open/ Skid	OPEN ON SKID BASE
Max Flow		409 M <sup>3</sup> /HR	Sound Attenuated	-
Max Head Pressure		6.04 BAR	Length	2.9M APPROX.
Suction Size - mm		8" / 200mm	Width	0.8M APPROX.
Suction Coupling Type		FLANGE (BS10 TABLE E)	Height	1.4M APPROX.
Discharge Size - mm		6" /150mm	Colour	RED
Discharge coupling Type		FLANGE (BS10 TABLE E)	Condition	USED EX-STANDBY
Discharge Detail NRV/Gate/Gauge		N/A		
Shaft Seal – Mech /Packing		GLAND PACKING	<b>LIFTING DATA/ CHASSIS</b>	
Pump Speed Min/Max		2600 RPM	Weight Kg	-
Impeller Type – Open/Closed		CLOSED	Centre Point	-
Impeller Size		277mm	Corner	YES
Solids Handling		CLEAN WATER ONLY		
Others – Stages		-	Forklift	-
Material		CAST IRON	Trailer – Road tow	-
Priming Type Comp/vac/ventr		FLOODED SUCTION	Trailer – Site tow	-
Long/Close Coupled Pump		LONG	Tow Bar Type	-
Belt Drive		-		
<b>ENGINE DATA</b>			<b>FUEL TANK DATA</b>	
			Size - Dimensions	0.8M(L) X 0.7M(W) X 0.5M(H) APPROX.
Manufacturer		CLARKE/IVECO 6-CYL.ENGINE	Capacity	252 LITRES APPROX.
Model		IK6HNL40	Gauge	YES
Serial No		919112	Bunded	-
Hours		556 HRS	Chassis	YES
Exhaust Type		(NOT INCL'D)	Free Standing	-
Bellows		YES	Special	-
Voltage		24V	<b>STARTER PANEL</b>	
Battery Type		NiCd	Key / Button	AUTO & MANUAL BUTTON START
Battery Isolator		-	Hour Meter	YES (556 HRS)
Water Jacket Heater KW		-	Oil Pressure	YES
Cooling – Air – Rad - Exc		WATER COOLED HEAT EXCHANGER	Water Temp	YES
<b>ELECTRIC MOTOR</b>			Water Pressure	-
Make		-	Water Vacuum	-
Voltage		-	Rev Counter	YES
KW		-	Special	-
Amps		-	<b>Additional Comments.</b>	
Cooling		-	FITTED WITH A TURBO SAVER LUBRICATION SYSTEM. NO EXHAUST OR VALVES FITTED – POA. SOLD FULLY CHECKED, SERVICED WITH 30-DAYS OR 2-HOURS STANDBY UK WARRANTY WHICHEVER IS FIRST. <b>FOR MATCHED PAIR FIRE PUMPS SEE STOCK No. XSP9927.</b>	
Speed		-		
Foot / Flange		-		
Starter Type		-		